

A low-angle, upward-looking photograph of a modern skyscraper. The building's facade is covered in a dense, vertical garden of green plants, creating a 'green wall' effect. The building's structure is composed of dark, angular concrete and glass panels. The sky is a clear, bright blue with a few wispy white clouds. The overall composition emphasizes the height and greenery of the building.

MAP PRODUCTS PRIVATE LIMITED **PRODUCT PROFILE**

Waterproofing Products



ILWA+

DESCRIPTION Integral Liquid Waterproofing Admixture is a dark brown liquid.
APPLICATION Waterproofing of concrete and cement sand mortar for critical application like roof slab & screed basement, internal & external plaster, bathroom floor, water tank, sump, drain, etc.
DOSAGE 200 ml / 50 kg Cement **PACKAGES** 500 ml, 1 L, 5 L, 10 L, 20 L



MAP-LATEX

DESCRIPTION Modified styrene-butadiene latex is a milky white liquid.
APPLICATION Waterproofing, concrete repair, floor topping, bonding of screed & render, repair of large crack, etc.
COVERAGE 6-8 m² / L **PACKAGES** 500 ml, 1 L, 5 L, 10 L, 20 L



CRACK PACK AR

DESCRIPTION Highly flexible & 100% acrylic polymer based single component white coloured paste.
APPLICATION It is used for filling internal & external surface cracks in plaster up to 10 mm width.
COVERAGE 40 M / Kg / 6mm x 6mm 'V' Groove. **PACKAGES** 1 Kg, 5 Kg



WaterStop Cool Cool

DESCRIPTION Single component ready to use pure acrylic white coloured paste.
APPLICATION Building roof / terrace - flat & slope, galvanised sheet, over existing cementitious surface, concrete screed and china mosaic for thermal insulation & waterproofing coat.
COVERAGE 6.5 sqm. / coat / kg **PACKAGES** 1 Kg, 5 Kg, 20 kg



Water Stop Bitu Membrane

DESCRIPTION High-performance bitumen and polymer based black coloured liquid membrane.
APPLICATION Roof garden, balconies and terrace area, concrete, cement render basement, parking area, podium deck area, etc. for waterproofing.
COVERAGE 3m² / Kg / 2 coats **PACKAGES** 1 Kg, 5 Kg, 20 Kg



MAP – Shield

DESCRIPTION Two component, flexible modified coating which is a grey cementitious material and white liquid.
APPLICATION Concrete surface, balcony, terrace, bathroom & swimming pool for waterproofing.
COVERAGE 11 m / 2 coat / 10 kg + 5 L **PACKAGES** 2 kg + 1 L, 10 kg + 5 L, 20 Kg + 10 L



MAP – Stop

DESCRIPTION Transparent water-based coating, VOC compliant silane/siloxane water repellent.
APPLICATION Exposed RCC, Block/Brick work and exterior surface
COVERAGE 13-15 m² / L / coat **PACKAGES** 1 L, 5 L, 20 L

Dry Mortars



Tile N Fix

DESCRIPTION

Polymer modified grey and white cementitious mortar in single or two-part. Floor, Standard, Premium, Richman, White, Super & Super+ have been tailored to fit the requirement of various surfaces and areas.

APPLICATION COVERAGE

Fixing of Tiles & Stones

4 – 4.5 kg / sq.m @ 3mm thickness / bag **PACKAGES** 20 Kg / 20 Kg + 5 L

DESCRIPTION

Ready to mix - self-curing, grey cement based thin joint mortar.

APPLICATION

Used for mounting and bonding AAC Blocks.

COVERAGE

3 – 5 kg / sq.m @ 3mm thickness / bag **PACKAGES** 40 Kg



Block Set



Plast

DESCRIPTION

Ready to mix - self-curing, grey cement based mortar.

APPLICATION

Used for plastering on brick & block masonry.

COVERAGE

1.5 – 2.2 kg / sq.m / mm **PACKAGES** 40 Kg

DESCRIPTION

Fiber reinforced portland cement based ready-mix plaster.

APPLICATION

Used on interior walls for traditional plastering work in a clean and speedy manner.

COVERAGE

15 – 16 sq.ft @ 15 – 16mm / bag **PACKAGES** 40 Kg



Premix Plast (I)



Premix Plast (E)

DESCRIPTION

Fiber reinforced portland cement based ready-mix plaster.

APPLICATION

Used on exterior walls and facades ranging from residential to heavy commercial and industrial building.

COVERAGE

15 – 16 sq.ft @ 15 – 16mm / bag **PACKAGES** 40 Kg

DESCRIPTION

Premix bag pack sand, cement and polymer mixed mortar.

APPLICATION

Used for plaster, masonry, repairs, screed, etc.

COVERAGE

Depends on the surface and application. **PACKAGES** 20 / 40 Kg



RMM -
Ready Mix Mortar



MAP – Wall Putty

DESCRIPTION

Specially formulated product based on white cement, blended with special fillers and additives.

APPLICATION

Used as putty, filler & sealer, on concrete/masonry wall and ceiling for both interior & exterior.

COVERAGE

2 - 2.5m² @ 1 mm / bag **PACKAGES** 30 Kg

DESCRIPTION

General purpose, non-shrink, high strength fiber reinforced cementitious micro concrete.

APPLICATION

Gas or steam turbines, generator, press, crane rail, milling machine, precast elements, anchor bolt, repair and re-profiling of bored pile.

COVERAGE

Depends on the surface and application. **PACKAGES** 25 Kg



MAP – Micro Concrete

Industrial & Engineering Products



MAP – Floor Grout GP 1

DESCRIPTION	Ready-mix, non-shrink, non-metallic, flowable, high-strength structural grout.		
APPLICATION	Machine base, structural columns, pump & equipment base.		
PACKAGES	25 Kg	COVERAGE	13.7 L flowable consistency

DESCRIPTION	Premix cement based, nonferrous, non-shrink grout, exhibiting good flow characteristics.		
APPLICATION	Base of turbine, boiler feed, pump, anchor bolts and fence post		
PACKAGES	25 Kg	COVERAGE	12.5 L pourable consistency and 13.3 L flowable consistency



MAP – Floor Grout GP 2



MAP – Floor Shield (MT)

DESCRIPTION	Ready to use metallic floor hardener comprised of clean and well-graded iron aggregates, special additives and Portland cement.		
APPLICATION	Industrial floor, warehouse, loading dock, manufacturing & assembly plants		
PACKAGES	25 Kg	DOSAGE	Light duty: 3 kg/m ² , Heavy Duty: 7 kg/ m ²

DESCRIPTION	A plasticiser and cement binder. It is an economical concrete floor hardener recommended for both interior and exterior use.		
APPLICATION	Restaurant, lobby, corridor, waiting room, dairy, auto showroom.		
PACKAGES	25 Kg	DOSAGE	Light duty: 3 kg/m ² , Heavy Duty: 7 kg/ m ²



MAP – Floor Shield (CR)

Other Products



MAP – Tile Grout

DESCRIPTION	Superior quality cementitious, water resistant joint filler which is available in multiple colours.		
APPLICATION	Filling joints in ceramic & vitrified tiles, marble and stone.		
PACKAGES	500 gm, 1 kg		

DESCRIPTION	Two part, 100% solid epoxy joint filler which is stain free, chemical resistant and available in a wide range of colours.		
APPLICATION	Filling joints in ceramic & vitrified tiles, marble and stone.		
PACKAGES	1 Kg & 5 Kg		



MAP - Epoxy TG



Tile Glow

DESCRIPTION	Fast acting acid based colourless liquid cleaner.		
APPLICATION	Cleaning of dirt and stains on all type of floor and wall tiles.		
PACKAGES	1 L		

DESCRIPTION	Bonding key-coat for smooth surface to provide a strong mechanical bonding.		
APPLICATION	Concrete surface, stones, interior & exterior wall, ceilings, etc.		
PACKAGES	1 Kg, 5 kg, 20 kg		



MAP – Bond Coat

Technical Textile / Glass Reinforcement



TBM – Reinforcement

- DESCRIPTION** Horizontal reinforcement manufactured from high tensile silica fiber made from very fine strands of glass which are coated with high modulus proprietary alkaline resistant chemical.
- APPLICATION** As a horizontal reinforcement for Autoclaved Aerated Concrete Block masonry.
- PACKAGES** (90 mm, 115 mm, 140 mm, 190 mm, 215 mm, 285 mm) x 50 M / Roll

- DESCRIPTION** Vertical reinforcement of AR Glass Fiber-mesh, made up from high tensile silica glass fiber strands.
- APPLICATION** As a vertical reinforcement in internal/external plaster of gypsum & cement, replacement of wiremesh.
- PACKAGES** (4", 6", 8", 40") x 50 M / Roll



TBM – Matrix



Glass Matrix

- DESCRIPTION** Glass grid reinforcement of pavement.
- APPLICATION** Airport runway, rigid high-volume road, parking area, asphalt road, etc
- PACKAGES** 1.5 M x 50 M / Roll

- DESCRIPTION** High strength, fire resistant, white colored glass wall fabric.
- APPLICATION** Interior wall covering.
- PACKAGES** 1 M x 10 M / Roll, 1 M x 50 M / Roll



Glass Wall Cover



Fiber 6466

- DESCRIPTION** Alkali resistant glass fiber strands for concrete reinforcement.
- APPLICATION** RMC, industrial flooring, precast concrete & tiles, shotcrete and slab on ground.
- PACKAGES** 0.7 Kg / Bag
- DOSAGE** 1 Bag / m³ concrete

- DESCRIPTION** Self - Adhesive fiber glass tape.
- APPLICATION** RCC - Masonry joint, construction joint, conduit and covering cracks
- PACKAGES** 4" x 50 M / Roll



MAP - Magic Tape



MAP – Underlayment

- DESCRIPTION** Light weight bitumen coated glass reinforced underlay for waterproofing and insulation.
- APPLICATION** 100% waterproofing solution for any surface
- PACKAGES** 1 M x 10 M / Roll



Let's Build GREEN

AN ISO 9001:2015 CERTIFIED COMPANY



CONCRETE
ADMIXTURE



WATERPROOFING
SYSTEM



MASONRY REPAIR




READYMIX
MORTAR




ENGINEERING
GROUT



FLOORING
SYSTEM



TECHNICAL TEXTILE
GLASS REINFORCEMENT



SEALANT



PROTECTIVE
COATING



ADHESIVE
BONDING AGENT

MAP PRODUCTS PRIVATE LIMITED

 101-Labh, Shukan Tower, Above A.D.C. Bank, Judges Bunglow, Bodakdev, Ahmedabad, Gujarat 380054



+91 75748 09626



info@mapaac.in



www.mapaac.in